Fort Hays State University
FHSU Scholars Repository

Buildings & Facilities | Campus History Collections

July 2022

Invoices for Parts During Energy Center Construction

Fort Hays Kansas State College

Follow this and additional works at: https://scholars.fhsu.edu/buildings

Recommended Citation
Fort Hays Kansas State College, "Invoices for Parts During Energy Center Construction" (2022). *Buildings & Facilities*. 21.
https://scholars.fhsu.edu/buildings/21

This Document is brought to you for free and open access by the Campus History Collections at FHSU Scholars Repository. It has been accepted for inclusion in Buildings & Facilities by an authorized administrator of FHSU Scholars Repository. For more information, please contact ScholarsRepository@fhsu.edu.

Power Plant - after 1930 fire?

2 pr. 4x10 flanges

3 pr. 4x8 "

1 pr. 3x7 "

1 pr. 3½x9 "

1 pr. 5x9 "

4 pr. 2½x6 "

2 pr. 3½x7 "

2 pr. 3x6½ "

3 pr. 2½x5 "

1 pr. 2½x8 "

2 pr. 8 in. Vanestone flanges

1 pr. 5 in. " "

1 #210 Whesco condensation pump and receiver having a capacity of 2000 sq. ft. of direct radiation and designed to discharge against 10# pressure. This unit includes a pump motor, receiver and automatic control, all mounted on one steel channel base, connected up and ready for piping and wiring connections.

(This pump was invoiced to the school at $109.00, wasn't needed, and has never been used)

plumbing?

990000

Fort Hays Kansas State College

1 5 in. Crane stop and check valve flanged

1 5 in. Edwards stop and check automatic flanged

1 8 in. Crane gate valve 250 lbs. pressure flanged

1 8 in. Peets gate valve 125 lbs. " "

3 5 in. Crane gate valves flanged

1 7 in. Crane gate valve flanged

(all these valves have bronzed stems)

2 8x8x8" low pressure Tees threaded

1 8x8x4" " " " "

1 8x8x3" " " " "

2 7x7x7" Tees flanged

1 8x8x6" extra heavy Tee flanged

3 8x8x6" " " " "

1 8x8x3" " " " "

5 8 in Ells flanged

4 7 in Ells flanged

4 6 in. " "

2 4½ in. " "

6 6 in. 45 flanged

1 6x8 Fisher reducing valve flanged

1 6x3 Eclipse reducing valve flanged

1 4 in " " " "

3 pr. 8 in. Extra heavy companion flanges.

5 pr. 8 in. Standard flanges.

2 pr. 6 in. Extra heavy flanges

2 pr. 6 in. Standard. flanges

2 pr. 4x9 flanges

1 5 in. Crane stop and check valve flanged

1 5 in. Edwards stop and check automatic flanged

1 8 in. Crane gate valve 250 lbs. pressure flanged

1 8 in. Peets gate valve 125 lbs. " "

3 5 in. Crane gate valves flanged.

1 7 in. Crane gate valve flanged.

(all these valves have bronzed stems)

2 8x8x8" low pressure Tees threaded.

1 8x8x4" " " " "

1 8x8x3" " " " "

2 7x7x7" Tees flanged.

1 8x8x6" extra heavy Tee flanged.

3 8x8x5" " " " "

1 8x8x3" " " " "

5 8 in. Ells flanged.

4 7 in. Ells flanged.

4 6 in. " "

2 $4\frac{1}{2}$ in. " "

6 6 in. 45 flanged.

1 6x8 Fisher reducing valve flanged.

1 6x3 Eclipse reducing valve flanged.

1 4 in. " " " "

3 pr. 8 in. extra heavy companion flanges.

5 pr. 8in. Standard flanges.

2 pr. 6 in. Extra heavy flanges.

2 pr. 6 in. Standard flanges.

2 pr. 4x9 flanges.

College)

2 pr. 4 x 10 Flanges

3 pr. 4x8 "

1 pr. 3x7 "

1 pr. 3½x9 "

1 pr. 5x9 "

4 pr. 2½x6 "

2 pr. 3½x7 "

2 pr. 3x6½ "

3 pr. 2½x5 "

1 pr. 2½x8 "

2 pr. 8 in. Vanestone flanges.

1 pr. 5 in. " "

1 #210 Whesco condensation pump and receiver having a capacity of 2000 sq. ft. of direct radiation and designed to discharge against 10# pressure. This unit includes a pump motor, receiver and automatic control, all mounted on one steel channel base, connected up and ready for piping and wiring connections.

(This pump was invoiced to the school at $109.00, wasn't needed, and has never been used.)