

Fort Hays State University

## FHSU Scholars Repository

---

Forsyth Library

Buildings & Facilities

---

1-22-1973

### Department Requisition: Library Bureau

Business Office, Fort Hays Kansas State College

Follow this and additional works at: [https://scholars.fhsu.edu/library\\_bldg](https://scholars.fhsu.edu/library_bldg)

---

#### Recommended Citation

Business Office, Fort Hays Kansas State College, "Department Requisition: Library Bureau" (1973). *Forsyth Library*. 120.

[https://scholars.fhsu.edu/library\\_bldg/120](https://scholars.fhsu.edu/library_bldg/120)

This Document is brought to you for free and open access by the Buildings & Facilities at FHSU Scholars Repository. It has been accepted for inclusion in Forsyth Library by an authorized administrator of FHSU Scholars Repository.

## DEPARTMENT REQUISITION

DEPARTMENT

REQUISITION NO. 73-131xDATE January 22, 1973DEPT. NO. Forsyth Library

PR			GROUP		ORDER		
Fund	F	Agency	Act.	Contract No.	Act.	Object	Amount

## Vendor Name and Address

Library Bureau  
 Division of Remington Rand  
 P. O. Box 4561  
 Overland, Park, Kansas 66204

403

I hereby certify that there are sufficient unencumbered funds in the allotment or appropriation from which this request is to be paid; that the items listed are required for the function of this department.

Att: Charles King

Authorized Signature

Quantity Requested	Catalogue No.	DESCRIPTION OF ARTICLE OR SERVICE	ESTIMATE	
			Unit Price	Amount
3		18' range steel double face bookstack, frames only, 20" deep by 90" high with closed 20" base shelves and without adjustable shelves. Consists of one each Remington Rand #LB12909 starter units, sway braces, and five each Remington Rand #LB22909 adder units. Color to be Fawn Beige to match and intermix with present shelving in library	\$400.00	\$1,200.00
1		15' range steel single face bookstack, wall hung, 10" deep by 90" high with closed 10" base shelves and six 8" adjustable shelves per unit. Consists of one Remington Rand #LB 11909 starter unit and four Remington Rand #LB 21909 adder units. Color to be Fawn Beige to match and intermix with present shelving in library.	\$250.00	\$ 250.00
2		18' range steel double face bookstack, 20" deep by 90" high with closed 20" base shelves and twelve 10" adjustable shelves per double face unit. Consists of one each Remington Rand #LB12909 starter units, sway braces, and five each Remington Rand #LB22909 adder units. Color to be Fawn Beige to match and intermix with present shelving in library.	\$500.00	\$1,000.00
10		Steel end panels 20" x 90" for above items. Color to be selected from Library Bureau available finishes.	\$35.00	\$ 350.00
			2,800.00	

NOTE: FOR UNUSUAL ITEMS INDICATE SOURCE OF SUPPLY ON REVERSE SIDE

REY RAND

## LIBRARY BUREAU

DIVISION OF REMINGTON RAND  
801 PARK AVE. HERKIMER, N. Y. 13350

ORDER DATE	CUSTOMER'S ORDER NO.	REQ NO.	CONTRACT NO.	INVOICE DATE	INVOICE NO.
5/29/73	403133			7/24/73	510-826

S  
O  
L  
D  
T  
O

403

FORT HAYS KANSAS STATE COLLEGE  
BUSINESS OFFICE  
HAYS, KANSAS 67601

S  
H  
I  
P  
T  
O

SAME - FORSYTHE LIBRARY

TERMS: NET CASH

DATE SHIPPED	SALESMAN'S NAME		F.O.B.	PREPAID	COLLECT	HOW SHIPPED
7/24/73	C. KING/S/		COLUMBUS, OHIO	DEST.	X	FRT
QUANTITY	CLASS	MODEL OR CATALOG NO.	DESCRIPTION	UNIT PRICE	EXTENSION	AMOUNT
1	LBS	LOT	STEEL STACK AS SPECIFIED			2,228.60
<p style="text-align: center;">DUPLICATE COPY FOR YOUR FILES</p> <p style="text-align: center;">TAX EXEMPT - STATE GOVERNMENT</p>						

PLEASE MAKE CHECKS PAYABLE TO:

LIBRARY BUREAU,  
DIV. OF REMINGTON RAND  
AND MAIL TO NEAREST P.O. BOX

RETURN DUPLICATE WITH REMITTANCE OR REFER TO INVOICE NO.

P. O. BOX 26705  
San Francisco, Calif. 94126

P. O. BOX 3494  
Dallas, Texas 75221

P. O. BOX 50031  
Atlanta, Georgia 30302

P. O. BOX 95360  
Chicago, Illinois 60690

P. O. BOX 7273  
Church Street Station  
New York, N. Y. 10049

CERTIFICATION Seller represents that with respect to the production of the articles and/or the performance of the services covered by this invoice, it has fully complied with the Fair Labor Standards Act of 1938, as amended.

DUPLICATE INVOICE



# WELCOME...

... to the ever growing family of discriminating users, who are enjoying many years of satisfaction and uninterrupted service, with products by Library Bureau. We at Library Bureau continuously seek to improve our current products and to develop new ideas to serve you better. To further this end, your help and suggestions will be invaluable in product development. Please take a few moments to fill out the attached card and drop it in the mail. Thank you very much for your cooperation.

P. A. JACKSON

Director

## 1. WHAT PRODUCT DID YOU PURCHASE?

- WOOD FURNITURE ☐  
 WOOD SHELVING ☐  
 MUSEUM CASES ☐  
 STEEL SHELVING ☐  
 PAPER PRODUCTS ☐  
 SUPPLIES ☐

## 4. WHAT FACTOR INFLUENCED YOUR DECISION TO PURCHASE THIS PRODUCT RATHER THAN A COMPETITIVE ONE.

- QUALITY ☐  
 PRICE ☐  
 OTHER ☐  
 SPECIFIC ADVANTAGES ☐

## 5. WOULD YOU BUY LIBRARY BUREAU PRODUCTS AGAIN?

YES ☐ NO ☐

510-826

## 2. YOUR ORDER HAS BEEN DELIVERED AND INSTALLED. IS THE INSTALLATION

- GOOD ☐  
 FAIR ☐  
 POOR ☐

## GENERAL COMMENT ON 1 - 5

## SUGGESTIONS FOR MODIFICATION OR UNFULFILLED NEEDS

## 3. WHAT IS YOUR IMPRESSION OF THE OVERALL PRODUCT QUALITY?

- EXCELLENT ☐  
 SATISFACTORY ☐  
 UNSATISFACTORY ☐

## (OPTIONAL)

DATE

NAME

TITLE

COMPANY

ADDRESS

Director

Attn.: Mr. P. A. JACKSON

LIBRARY BUREAU  
801 PARK AVENUE  
HERKIMER, N. Y.

POSTAGE WILL BE PAID BY—

BUSINESS REPLY CARD  
No Postage Stamp Necessary if Mailed in United States

FIRST CLASS  
Permit No. 79  
Herkimer, N.Y.

WARRANTY

RRNT-27008A

"All new Library Bureau equipment is warranted against defective workmanship and material for one year after date of delivery. During such period, Library Bureau will adjust and replace parts as may be required by reason of ordinary wear or use, provided that such adjustment or replacement of parts is not made necessary or required by reason of misuse, repairs due to negligence, accident, fire or water damage and other causes beyond the control of Library Bureau. The warranty does not cover preventive maintenance inspections which consist mainly of lubricating and cleaning and which are considered a normal requirement for continued satisfactory performance."

For qualified service or repair, contact your local Remington Office Systems office or Authorized Dealer for service instructions.